EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	(modulat\$4 near mode) with (psk or (phase near shify near keying)) with (fsk or (freq\$5 near shift near keying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:56
S2	130	(switch\$3 or transiti\$3 or chang\$3) with (modulat\$4 near (mode or format or techniq\$3)) and ((psk or (phase near shifty near keying)) with (fsk or (freq\$5 near shift near keying)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:37
S3	18	(switch\$3 or transiti\$3 or chang\$3) with (modulat\$4 near (mode or format or techniq\$3)) same ((psk or (phase near shify near keying)) with (fsk or (freq\$5 near shift near keying)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 18:59
S4	13	(transmit\$4 near (plural\$3 or two or different or multiple) near (modulati\$4 inear (mode or format or technique)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 19:16
S5	0	(transmit\$4 near (plural\$3 or two or different or multiple) near (modulati\$4 inear (mode or format or technique))) with ((psk or (phase near shifty near keying)) with (fsk or (freq\$5 near shift near kying)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 19:16
\$6	1	[*] 55046304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:10

S7	1	"60466955"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:10
8	8	"6292474"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:40
59	3	"6909755"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:28
510	3	"5678183"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:28
311	5	US-5796772-\$.DID. OR US-6801777-\$.DID. OR US-4554522-\$.DID. OR US-6919838-\$.DID. OR US-20020064245-\$.DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/11 16:37
312	17	((multi\$4 near mode) or ((different or variety) modulation (type or format)) or (multi\$3 modulation techniqu\$3)) same (psk or (phase near shify near keying)) with (fsk or (freq\$5 near shift near keying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 17:00
513	5786	375/130.cds. or 375/135.cds. or 375/146.cds. or 375/272-273.cds. or 375/279.cds or 375/295.cds. or 375/302-308.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 17:00

S14	3	((multi\$4 near mode) or ((different or variety) modulation (type or format)) or (multi\$3 modulation techniqu\$3)) same (psk or (phase near shify near keying)) with (fsk or (freq\$5 near shift near keying)) and \$13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 17:02
S15	5	((multi\$4 near mode) or ((different or variety or multi\$3) modulation (type or format or mode or techniqu\$3))) same (psk or (phase near shify near keying)) with (fsk or (freq\$5 near shift near keying)) and \$13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 17:09
S16	5	((multi\$4 near mode) or ((different or variety or multi\$3) modulation (type or format or mode or techniqu\$3))) same ((psk or (phase near shify near keying)) with (fsk or (freq\$5 near shift near keying))) and \$13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 17:04
\$17	19	((multi\$4 near mode) or ((different or variety or multi\$3) modulation (type or format or mode or techniqu\$3))) and (psk or (phase near shify near keying)) with (fsk or (freq\$5 near shift near keying)) and \$13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 17:29
S18	45	375/273.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 17:30
S19	3	10/816731	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 18:32

S20	2	(psk or (phase near shify near keying)) with (fsk or (freq\$5 near shift near keying)) and (control\$4 with modulat\$4) and (cordic with phase accumulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:45
S21	9	(psk or (phase near shify near keying)) same (fsk or (freq\$5 near shift near keying)) and (control\$4) and (cordic same phase accumulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:57
S22	16	(psk or (phase near shifty near keying)) same (fsk or (freq\$5 near shift near keying)) and (control\$4) and (cordic and phase accumulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 11:46
\$23	1	(psk or (phase near shify near keying)) same (fsk or (freq\$5 near shift near keying)) and (cordic and phase accumulat\$3) and ((fsk near phase) with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 11:15
524	4	(psk or (phase near shify near keying)) same (fsk or (freq\$5 near shift near keying)) and (cordic with phase) and (phase accumulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 11:18
S25	9	(psk or (phase near shify near keying)) same (fsk or (freq\$5 near shift near keying)) and (control\$4) and (cordic with phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 12:06

526	2804	dc with offset with compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 12:07
\$28	4	dc with offset with compensat\$3 and ((psk or (phase near shify near keying)) same (tsk or (treq\$5 near shift near keying)) and (cordic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 12:05
330	4	(psk or (phase near shify near keying)) same (fsk or (freq\$5 near shift near keying)) and (control\$4) and (cordic with phase) and (dc with offset with compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 12:06
331	15	dc with offset with compensat\$3 and (cordic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 12:07
332	8	("5945885").URPN.	USPAT	ADJ	ON	2007/07/12 16:48
333	0	(psk or (phase near shify near keying)) same (fsk or (freq\$5 near shift near keying)) and (("1" mhz with fsk) same ("2" mhz with (psk or qpsk)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 18:25
334	2	legacy with bluetooth and (spectral mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 17:30

\$35	55	legacy with bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 17:32
536	2	legacy with bluetooth and (psk or (phase near shify near keying)) same (tsk or (freq\$5 near shift near keying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 17:33
\$37	9	(psk or (phase near shift) near keying)) and (fsk or (freq\$5 near shift near keying)) and (("1" mhz) same ("2" mhz))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 18:33
S38	17	(psk or (phase near shify near keying)) and (fsk or (freq\$5 near shift near keying)) and "8" near psk and (data rate) and (bluetooth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 19:24
S39	633	spectral mask	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 19:24
S40	410	spectral mask and @ad<"20040402"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 19:25

541	7	ispectral mask and @ad<"20040402" and (fsk and psk)	US-PGPUB; USPAT; USOCR; EPO; UPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 19:28
S42	17	spectral mask with (violat\$3 or avoid\$3) and @ad<"20040402"	US-PGPUB; USPAT; USOCR; EPO; UPO; DERWENT; BM_TDB	ADJ	ON	2007/07/12 19:28
S43	11	"5832027"	US-PGPUB; USPAT; USOCR; EPO; UPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/13 08:53
S44	150	henrik near jensen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 17:42
\$45	26	(S44 and (ibrahim near brima)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:53
\$46	226	switch\$4 near modulat\$3 near mode	US-PGPUB; USPAT; USCCR; EPO; UPO; DERWENT; BM_TDB	ADJ	ON	2008/01/02 18:54

S47	1	S46 same (fsk same psk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:53
S48	5	(switch\$4 near modulat\$3 near mode) and ((data near rate) same ((high\$3 or isecond) near rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:55
S49	0	((first or second or two) near (mode near communicat\$4)) same ((accumulat \$4 with (cordic) with phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 11:42
S50	56	((accumulat\$4 with (cordic) with phase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 12:49
S51	690	(fsk and psk) and ((modulat\$3 or mode) near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/21 13:00
S52	611	(fsk same psk) and ((modulat\$3 or mode) near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/21 13:02

S53	16	(fisk same psk) and (modulat\$3 near2 (schem\$2 or mode or format) near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/21 13:03
\$54	13	(fsk same psk) and (modulat\$3 near2 (schem\$2 or mode or format) near2 (sontrol\$4) and (@pd<"20040402" or @ad<"20040402" or @prad<"20040402" or @rlad<"20040402")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/21 13:06
355	49	(fsk same psk) and ((first or second or multiple or plurality) near2 (communicat \$4 or modulat\$3) near2 (schem\$2 or mode or format)) and (data near rate) and (@pd<"20040402" or @ad<"20040402" or @prad<"20040402" or @rlad<"20040402")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/21 15:31
56	100	and (@pd<"20040402" or @ad<"20040402" or @prad<"20040402" or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/21 16:11
\$57	421	and (data near rate) and (@pd<"20040402" or @ad<"20040402" or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/21 16:13
\$58	6280		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/24 13:51

\$59	65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	1	2008/04/24 13:52
S60	5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	1	2008/04/24 13:52

^{4/24/2008 1:54:22} PM

C:\ Documents and Settings\ hsingh1\ My Documents\ EAST\ Workspaces\ 10,816,731.wsp